ELSEVIER

Brain Research 697 (1995) 280–281

BRAIN RESEARCH

Author Index

Ableitner, A., see Fabian, I. (697) 205

Banik, N.L., see Li, Z. (697) 112
Batini, C., see Jones, N. (697) 216
Beck, M.M., see Teruyama, R. (697) 169
Bennett, M.R., see Nichol, K.A. (697) 1
Berrebi, A.S., see Mack, C.M. (697) 152
Besson, J.-M., see Chapman, V. (697) 258
Boehm, G.W., see Mack, C.M. (697) 152
Borland, K., see Login, I.S. (697) 271
Borlongan, C.V., Koutouzis, T.K., Freeman, T.B., Cahill, D.W. and Sanberg, P.R.
Behavioral pathology induced by repeated systemic injections of 3-nitropropionic acid mimics the motoric symptoms of Huntington's disease (697) 254
Bowser, R., see Ksiezak-Reding, H. (697) 63
Buritova, J., see Chapman, V. (697) 258

Cahill, D.W., see Borlongan, C.V. (697) 254
Cao, C., Matsumura, K., Yamagata, K. and Watanabe, Y.
Induction by lipopolysaccharide of cyclooxygenase-2 mRNA in rat brain; its possible role in the febrile response (697) 187
Caston, J., see Jones, N. (697) 216
Chapman, V., Buritova, J., Honoré, P. and Besson, J.-M.
7-Nitro-indazole, a selective inhibitor of neuronal nitric oxide synthase, reduces formalin evoked c-Fos expression in dorsal horn neurons of the rat spinal cord (697) 258
Cherniack, N.S., see Prabhakar, N.R. (697) 266
Cotman, C.W., see Satou, T. (697) 35
Cotman, C.W., see Woods, A.G. (697) 53
Cribbs, D.H., see Woods, A.G. (697) 53
Cummings, B.J., see Satou, T. (697) 35
Curlewis, J.D., Thiéry, J.-C. and Malpaux, B.
Effect of hypothalamic infusion of a dopamine D_1 receptor antagonist on prolactin secretion in the ewe (697) 48

Davies, P., see Ksiezak-Reding, H. (697) 63
Davies, P., see Scott, J.J.A. (697) 225
Denenberg, V.H., see Mack, C.M. (697) 152

Fabian, I. and Ableitner, A.
Brain sites involved in μ-opioid receptor-mediated actions: a 2-deoxyglucose study (697) 205
Freeman, T.B., see Borlongan, C.V. (697) 254
Fride, E.
Anandamides: tolerance and cross-tolerance to Δ^9-tetrahydrocannabinol (697) 83

Gemba, H., Miki, N. and Sasaki, K.
Cortical field potentials preceding vocalization and influences of cerebellar hemispherectomy upon them in monkeys (697) 143
Gold, P.E., see Login, I.S. (697) 271
Gonchar, Y.A., Johnson, P.B. and Weinberg, R.J.
GABA-immunopositive neurons in rat neocortex with contralateral projections to S-1 (697) 27
Gregersen, N., see Linnet, K. (697) 251

Haile, D.T., see Shain, D.H. (697) 241
Hara, A., Yoshimi, N., Hirose, Y., Ino, N., Tanaka, T. and Mori, H.
DNA fragmentation in granular cells of human cerebellum following global ischemia (697) 247
Harrison, M.B., see Login, I.S. (697) 271
Hiramatsu, M., Oikawa, K., Noda, H., Mori, A., Ogata, T. and Kamada, H.
Free radical imaging by electron spin resonance computed tomography in rat brain (697) 44
Hirose, Y., see Hara, A. (697) 247
Hönack, D., see Löscher, W. (697) 197
Honoré, P., see Chapman, V. (697) 258

Ikeda, K., see Mizuguchi, M. (697) 235
Ino, N., see Hara, A. (697) 247
Ishii, Y., see Mizuguchi, M. (697) 235
Ishikawa, K., Ohe, Y. and Tatemoto, K.
Synthesis and secretion of insulin-like growth factor (IGF)-II and IGF binding protein-2 by cultivated brain meningeal cells (697) 122
Ito, H., see Kawakami, N. (697) 104

Jhamandas, K., see Wang, L. (697) 130
Johnson, P.B., see Gonchar, Y.A. (697) 27
Jones, N., Stelz, T., Batini, C. and Caston, J.
Effects of lesion of the inferior olivary complex in learning of the equilibrium behavior in the young rat during ontogenesis. I. Total lesion of the inferior olive by 3-acetylpyridine (697) 216

Kaddis, F.G., Uretsky, N.J. and Wallace, L.J.
DNQX in the nucleus accumbens inhibits cocaine-induced conditioned place preference (697) 76
Kamada, H., see Hiramatsu, M. (697) 44
Kashiwagi, S., see Kawakami, N. (697) 104
Katada, T., see Mizuguchi, M. (697) 235
Kawakami, N., Kashiwagi, S., Kitahara, T., Yamashita, T. and Ito, H.
Effect of local administration of basic fibroblast growth factor against neuronal damage caused by transient intracerebral mass lesion in rats (697) 104
Kitahara, T., see Kawakami, N. (697) 104
Koed, K., see Linnet, K. (697) 251
Kon, S.-i., see Mizuguchi, M. (697) 235
Koutouzis, T.K., see Borlongan, C.V. (697) 254
Ksiezak-Reding, H., Leibowitz, R.L., Bowser, R. and Davies, P.
Binding of Alz 50 depends on Phe^8 in tau synthetic peptides and varies between native and denatured tau proteins (697) 63
Kunimatsu, M., see Onizuka, K. (697) 179

LeDoux, M.S., Lorden, J.F. and Meinzen-Derr, J.
Selective elimination of cerebellar output in the genetically dystonic rat (697) 91
Leibowitz, R.L., see Ksiezak-Reding, H. (697) 63
Leung, L.S. and Zhao, D.C.
Glial potentials evoked by single afferent pulses in hippocampal CA1 area in vitro (697) 262
Li, Z. and Banik, N.L.
The localization of mcalpain in myelin: immunocytochemical evidence in different areas of rat brain and nerves (697) 112
Linnet, K., Koed, K., Wiborg, O. and Gregersen, N.
Serotonin depletion decreases serotonin transporter mRNA levels in rat brain (697) 251
Login, I.S., Borland, K., Harrison, M.B., Ragozzino, M.E. and Gold, P.E.
Acetylcholine release from dissociated striatal cells (697) 271
Lorden, J.F., see LeDoux, M.S. (697) 91
Löscher, W., Wahnschaffe, U., Hönack, D. and Rundfeldt, C.
Does prolonged implantation of depth elec-

ELSEVIER

Brain Research 697 (1995) 280–281

BRAIN RESEARCH

Author Index

Ableitner, A., see Fabian, I. (697) 205

Banik, N.L., see Li, Z. (697) 112
Batini, C., see Jones, N. (697) 216
Beck, M.M., see Teruyama, R. (697) 169
Bennett, M.R., see Nichol, K.A. (697) 1
Berrebi, A.S., see Mack, C.M. (697) 152
Besson, J.-M., see Chapman, V. (697) 258
Boehm, G.W., see Mack, C.M. (697) 152
Borland, K., see Login, I.S. (697) 271
Borlongan, C.V., Koutouzis, T.K., Freeman, T.B., Cahill, D.W. and Sanberg, P.R.
Behavioral pathology induced by repeated systemic injections of 3-nitropropionic acid mimics the motoric symptoms of Huntington's disease (697) 254
Bowser, R., see Ksiezak-Reding, H. (697) 63
Buritova, J., see Chapman, V. (697) 258

Cahill, D.W., see Borlongan, C.V. (697) 254
Cao, C., Matsumura, K., Yamagata, K. and Watanabe, Y.
Induction by lipopolysaccharide of cyclooxygenase-2 mRNA in rat brain; its possible role in the febrile response (697) 187
Caston, J., see Jones, N. (697) 216
Chapman, V., Buritova, J., Honoré, P. and Besson, J.-M.
7-Nitro-indazole, a selective inhibitor of neuronal nitric oxide synthase, reduces formalin evoked c-Fos expression in dorsal horn neurons of the rat spinal cord (697) 258
Cherniack, N.S., see Prabhakar, N.R. (697) 266
Cotman, C.W., see Satou, T. (697) 35
Cotman, C.W., see Woods, A.G. (697) 53
Cribbs, D.H., see Woods, A.G. (697) 53
Cummings, B.J., see Satou, T. (697) 35
Curlewis, J.D., Thiéry, J.-C. and Malpaux, B.
Effect of hypothalamic infusion of a dopamine D_1 receptor antagonist on prolactin secretion in the ewe (697) 48

Davies, P., see Ksiezak-Reding, H. (697) 63
Davies, P., see Scott, J.J.A. (697) 225
Denenberg, V.H., see Mack, C.M. (697) 152

Fabian, I. and Ableitner, A.
Brain sites involved in μ-opioid receptor-mediated actions: a 2-deoxyglucose study (697) 205
Freeman, T.B., see Borlongan, C.V. (697) 254
Fride, E.
Anandamides: tolerance and cross-tolerance to Δ^9-tetrahydrocannabinol (697) 83

Gemba, H., Miki, N. and Sasaki, K.
Cortical field potentials preceding vocalization and influences of cerebellar hemispherectomy upon them in monkeys (697) 143
Gold, P.E., see Login, I.S. (697) 271
Gonchar, Y.A., Johnson, P.B. and Weinberg, R.J.
GABA-immunopositive neurons in rat neocortex with contralateral projections to S-1 (697) 27
Gregersen, N., see Linnet, K. (697) 251

Haile, D.T., see Shain, D.H. (697) 241
Hara, A., Yoshimi, N., Hirose, Y., Ino, N., Tanaka, T. and Mori, H.
DNA fragmentation in granular cells of human cerebellum following global ischemia (697) 247
Harrison, M.B., see Login, I.S. (697) 271
Hiramatsu, M., Oikawa, K., Noda, H., Mori, A., Ogata, T. and Kamada, H.
Free radical imaging by electron spin resonance computed tomography in rat brain (697) 44
Hirose, Y., see Hara, A. (697) 247
Hönack, D., see Löscher, W. (697) 197
Honoré, P., see Chapman, V. (697) 258

Ikeda, K., see Mizuguchi, M. (697) 235
Ino, N., see Hara, A. (697) 247
Ishii, Y., see Mizuguchi, M. (697) 235
Ishikawa, K., Ohe, Y. and Tatemoto, K.
Synthesis and secretion of insulin-like growth factor (IGF)-II and IGF binding protein-2 by cultivated brain meningeal cells (697) 122
Ito, H., see Kawakami, N. (697) 104

Jhamandas, K., see Wang, L. (697) 130
Johnson, P.B., see Gonchar, Y.A. (697) 27
Jones, N., Stelz, T., Batini, C. and Caston, J.
Effects of lesion of the inferior olivary complex in learning of the equilibrium behavior in the young rat during ontogenesis. I. Total lesion of the inferior olive by 3-acetylpyridine (697) 216

Kaddis, F.G., Uretsky, N.J. and Wallace, L.J.
DNQX in the nucleus accumbens inhibits cocaine-induced conditioned place preference (697) 76
Kamada, H., see Hiramatsu, M. (697) 44
Kashiwagi, S., see Kawakami, N. (697) 104
Katada, T., see Mizuguchi, M. (697) 235
Kawakami, N., Kashiwagi, S., Kitahara, T., Yamashita, T. and Ito, H.
Effect of local administration of basic fibroblast growth factor against neuronal damage caused by transient intracerebral mass lesion in rats (697) 104
Kitahara, T., see Kawakami, N. (697) 104
Koed, K., see Linnet, K. (697) 251
Kon, S.-i., see Mizuguchi, M. (697) 235
Koutouzis, T.K., see Borlongan, C.V. (697) 254
Ksiezak-Reding, H., Leibowitz, R.L., Bowser, R. and Davies, P.
Binding of Alz 50 depends on Phe^8 in tau synthetic peptides and varies between native and denatured tau proteins (697) 63
Kunimatsu, M., see Onizuka, K. (697) 179

LeDoux, M.S., Lorden, J.F. and Meinzen-Derr, J.
Selective elimination of cerebellar output in the genetically dystonic rat (697) 91
Leibowitz, R.L., see Ksiezak-Reding, H. (697) 63
Leung, L.S. and Zhao, D.C.
Glial potentials evoked by single afferent pulses in hippocampal CA1 area in vitro (697) 262
Li, Z. and Banik, N.L.
The localization of mcalpain in myelin: immunocytochemical evidence in different areas of rat brain and nerves (697) 112
Linnet, K., Koed, K., Wiborg, O. and Gregersen, N.
Serotonin depletion decreases serotonin transporter mRNA levels in rat brain (697) 251
Login, I.S., Borland, K., Harrison, M.B., Ragozzino, M.E. and Gold, P.E.
Acetylcholine release from dissociated striatal cells (697) 271
Lorden, J.F., see LeDoux, M.S. (697) 91
Löscher, W., Wahnschaffe, U., Hönack, D. and Rundfeldt, C.
Does prolonged implantation of depth elec-

trodes predispose the brain to kindling? (697) 197

Mack, C.M., Boehm, G.W., Berrebi, A.S. and Denenberg, V.H.
Sex differences in the distribution of axon types within the genu of the rat corpus callosum (697) 152
Malpaux, B., see Curlewis, J.D. (697) 48
Manabe, Y., see Saito, T. (697) 276
Matsumura, K., see Cao, C. (697) 187
Meinzen-Derr, J., see LeDoux, M.S. (697) 91
Miki, N., see Gemba, H. (697) 143
Milne, B., see Wang, L. (697) 130
Mizuguchi, M., Otsuka, N., Sato, M., Ishii, Y., Kon, S.-i., Yamada, M., Nishina, H., Katada, T. and Ikeda, K.
Neuronal localization of CD38 antigen in the human brain (697) 235
Mori, A., see Hiramatsu, M. (697) 44
Mori, H., see Hara, A. (697) 247
Morton, A.J., see Page, G.K. (697) 157
Muramatsu, K., see Onizuka, K. (697) 179

Nakamura, Y., see Otake, K. (697) 17
Nichol, K.A., Schulz, M.W. and Bennett, M.R.
Nitric oxide-mediated death of cultured neonatal retinal ganglion cells: neuroprotective properties of glutamate and chondroitin sulfate proteoglycan (697) 1
Nishina, H., see Mizuguchi, M. (697) 235
Nishino, H., see Onizuka, K. (697) 179
Noda, H., see Hiramatsu, M. (697) 44

Ogata, T., see Hiramatsu, M. (697) 44
Ohe, Y., see Ishikawa, K. (697) 122
Oikawa, K., see Hiramatsu, M. (697) 44
Onizuka, K., Kunimatsu, M., Ozaki, Y., Muramatsu, K., Sasaki, M. and Nishino, H.
Distribution of μ-calpain proenzyme in the brain and other neural tissues in the rat (697) 179
Otake, K., Ruggiero, D.A. and Nakamura, Y.
Adrenergic innervation of forebrain neurons that project to the paraventricular thalamic nucleus in the rat (697) 17
Otsuka, N., see Mizuguchi, M. (697) 235
Ozaki, Y., see Onizuka, K. (697) 179

Page, G.K. and Morton, A.J.
Correlation of neuronal loss with increased expression of NADPH diaphorase in cultured rat cerebellum and cerebral cortex (697) 157
Petit, J., see Scott, J.J.A. (697) 225
Prabhakar, N.R., Shenoy, B.C., Simonson, M.S. and Cherniack, N.S.
Cell selective induction and transcriptional activation of immediate early genes by hypoxia (697) 266

Ragozzino, M.E., see Login, I.S. (697) 271
Ruggiero, D.A., see Otake, K. (697) 17
Rundfeldt, C., see Löscher, W. (697) 197

Saito, H., see Saito, T. (697) 276
Saito, T., Yamamoto, T., Zhang, Z.J., Yamada, T., Manabe, Y. and Saito, H.
Transplatin blocks voltage-dependent calcium current in isolated cochlear outer hair cells but is not ototoxic in vivo (697) 276
Sanberg, P.R., see Borlongan, C.V. (697) 254
Sasaki, K., see Gemba, H. (697) 143
Sasaki, M., see Onizuka, K. (697) 179
Sato, M., see Mizuguchi, M. (697) 235
Satou, T., Cummings, B.J. and Cotman, C.W.
Immunoreactivity for Bcl-2 protein within neurons in the Alzheimer's disease brain increases with disease severity (697) 35
Schulz, M.W., see Nichol, K.A. (697) 1
Scott, J.J.A., Davies, P. and Petit, J.
The static sensitivity of tendon organs during recovery from nerve injury (697) 225
Shain, D.H., Haile, D.T., Verrastro, T.A. and Zuber, M.X.
Cloning and embryonic expression of *Xenopus laevis* GAP-43 (XGAP-43) (697) 241
Shenoy, B.C., see Prabhakar, N.R. (697) 266
Simonson, M.S., see Prabhakar, N.R. (697) 266
Stelz, T., see Jones, N. (697) 216

Tanaka, T., see Hara, A. (697) 247
Tatemoto, K., see Ishikawa, K. (697) 122
Teruyama, R. and Beck, M.M.
Development of metabolic response in male quail brain during sexual maturation (697) 169
Thiéry, J.-C., see Curlewis, J.D. (697) 48

Uretsky, N.J., see Kaddis, F.G. (697) 76

Verrastro, T.A., see Shain, D.H. (697) 241

Wahnschaffe, U., see Löscher, W. (697) 197
Wallace, L.J., see Kaddis, F.G. (697) 76
Wang, L., Milne, B. and Jhamandas, K.
Involvement of excitatory amino acid pathways in the expression of precipitated opioid withdrawal in the rostral ventrolateral medulla: an in vivo voltammetric study (697) 130
Watanabe, Y., see Cao, C. (697) 187
Weinberg, R.J., see Gonchar, Y.A. (697) 27
Whittemore, E.R., see Woods, A.G. (697) 53
Wiborg, O., see Linnet, K. (697) 251
Woods, A.G., Cribbs, D.H., Whittemore, E.R. and Cotman, C.W.
Heparan sulfate and chondroitin sulfate glycosaminoglycan attenuate β-amyloid (25–35) induced neurodegeneration in cultured hippocampal neurons (697) 53

Yamada, M., see Mizuguchi, M. (697) 235
Yamada, T., see Saito, T. (697) 276
Yamagata, K., see Cao, C. (697) 187
Yamamoto, T., see Saito, T. (697) 276
Yamashita, T., see Kawakami, N. (697) 104
Yoshimi, N., see Hara, A. (697) 247

Zhang, Z.J., see Saito, T. (697) 276
Zhao, D.C., see Leung, L.S. (697) 262
Zuber, M.X., see Shain, D.H. (697) 241